INDEX TO VOLUME VII.

[NOTE.—In this index the titles of principal papers and the headings of departments, as *Discussion*, are in italics.]

Abich, H., on temperatures in gas wells, 536
Abnormal temperatures on the Comstock lode, 583
Acme graphite mine, 767
Acmite, fusing point, 5
Acromorphs, 121
Actinolite, fusing point, 3
Active rocks, behavior, 12
Adair oil pool, Oklahoma, 726
Adiabatic cooling, 536
Adularia, fusing point, 3
Aegirite, fusing point, 5
Aeschynite, in tin deposits, 231
Ahlburg, J., on iron ores of Hungary, 192
Alaska, tin deposits, 212 (table)
Alaskite, replacement ore bodies in, 296
Alaskite-quartz magmas, 474; addition of lime, 486
Alaskose, analysis, 216, 217
Alberti, F. A. v., on salt domes, 121
Albite, fusing point, 3
Albite glass, temperature data on, 2
Aldridge quartzite, 351
Alidade, for planetable work, 115, 622, 779
Alkaline gold solutions, 745
Allen, E. T., on oxidation of sulphides, 15; on sulphidation of iron, 49
Aller-Nordstern, Verden, Germany, salt dome, section, 126
Alluvial tin deposits, Nigeria, 542
Alluwe oil pool, Oklahoma, 726
Almandite, 495; fusing point, 4
Alpine mineral deposits in sericite gneiss-sericite schist, 698
Alta mine, Corbin, Montana, 288
Altenberg (tin deposits), section, 226
Altenberger Zwitterstock, Erzgebirge, 222, 224, 225
Alteration of granite and the source of vein-quartz at the St. Anthony mine, Hydrothermal (Moore), 751–761
Alteration, chloritic and sericitic phases, 60; granite, 755, 760; in Butte district, 38; reactions, 44–46; hydrothermal, 246; of limestones by contact metamorphism, 702; of rocks, 234; St. Helens district, Washington, 348; turquoise deposits, Burro Mountains, N. Mex., 388
Alterations during propylitization tabulated, 67
Aluminum, recent literature on, 607
Ambler, Joseph A. (translator), *Transformations and chemical reactions in their application to temperature measurements of geological occurrences*, 676–707
American Flake Graphite Company quarry, 769
Amphibole, fusing point, 3
Analyses (*see* chemical analyses)
Anamorphism, in Gunflint district, 169
Anatase and brookite, association, 697
Anderson's saline dome, Texas, 374
Andesine, fusing point, 3
Andesite, 344, 692; temperature data on, 2
Andesite porphyry, 292, 344
Andesite tuff, 344
Andradite, 462
Andrée, K., on crystallization, 532
Andrussow, on hydrogen sulphide in water of Black Sea, 741
Anhydrite at the Ludwig mine, Lyon County, Nevada, The occurrence and origin of gypsum and (Rogers), 185–189
Anhydrite, identification of, 187; Ludwig mine, Lyon County, Nevada, origin, 400; occurrences, 189; origin, 189
Anomalies in magnetic declination, 650
Anorthite, fusing point, 4
Anorthite glass, temperature data on, 2
Anorthoclase, fusing point, 3
Anse la Butte salt dome, Louisiana, 368, 371

INDEX TO VOLUME VII.

[NOTE.—In this index the titles of principal papers and the headings of departments, as *Discussion*, are in italics.]

Abich, H., on temperatures in gas wells, 536
Abnormal temperatures on the Comstock lode, 583
Acme graphite mine, 767
Acmite, fusing point, 5
Acromorphs, 121
Actinolite, fusing point, 3
Active rocks, behavior, 12
Adair oil pool, Oklahoma, 726
Adiabatic cooling, 536
Adularia, fusing point, 3
Aegirite, fusing point, 5
Aeschynite, in tin deposits, 231
Ahlburg, J., on iron ores of Hungary, 192
Alaska, tin deposits, 212 (table)
Alaskite, replacement ore bodies in, 296
Alaskite-quartz magmas, 474; addition of lime, 486
Alaskose, analysis, 216, 217
Alberti, F. A. v., on salt domes, 121
Albite, fusing point, 3
Albite glass, temperature data on, 2
Aldridge quartzite, 351
Alidade, for planetable work, 115, 622, 779
Alkaline gold solutions, 745
Allen, E. T., on oxidation of sulphides, 15; on sulphidation of iron, 49
Aller-Nordstern, Verden, Germany, salt dome, section, 126
Alluvial tin deposits, Nigeria, 542
Alluwe oil pool, Oklahoma, 726
Almandite, 495; fusing point, 4
Alpine mineral deposits in sericite gneiss-sericite schist, 698
Alta mine, Corbin, Montana, 288
Altenberg (tin deposits), section, 226
Altenberger Zwitterstock, Erzgebirge, 222, 224, 225
Alteration of granite and the source of vein-quartz at the St. Anthony mine, Hydrothermal (Moore), 751–761
Alteration, chloritic and sericitic phases, 60; granite, 755, 760; in Butte district, 38; reactions, 44–46; hydrothermal, 246; of limestones by contact metamorphism, 702; of rocks, 234; St. Helens district, Washington, 348; turquoise deposits, Burro Mountains, N. Mex., 388
Alterations during propylitization tabulated, 67
Aluminum, recent literature on, 607
Ambler, Joseph A. (translator), *Transformations and chemical reactions in their application to temperature measurements of geological occurrences*, 676–707
American Flake Graphite Company quarry, 769
Amphibole, fusing point, 3
Analyses (*see* chemical analyses)
Anamorphism, in Gunflint district, 169
Anatase and brookite, association, 697
Anderson's saline dome, Texas, 374
Andesine, fusing point, 3
Andesite, 344, 692; temperature data on, 2
Andesite porphyry, 292, 344
Andesite tuff, 344
Andradite, 462
Andrée, K., on crystallization, 532
Andrussow, on hydrogen sulphide in water of Black Sea, 741
Anhydrite at the Ludwig mine, Lyon County, Nevada, The occurrence and origin of gypsum and (Rogers), 185–189
Anhydrite, identification of, 187; Ludwig mine, Lyon County, Nevada, origin, 400; occurrences, 189; origin, 189
Anomalies in magnetic declination, 650
Anorthite, fusing point, 4
Anorthite glass, temperature data on, 2
Anorthoclase, fusing point, 3
Anse la Butte salt dome, Louisiana, 368, 371

Anselma graphite mine, 769
Anthophyllite, fusing point, 3
Anticlinal-bulge type of oil and gas fields, 365
Apatite, fusing point, 3
Aplite, 344
Apophyllite, 464
Araca tin deposits, Bolivia, 274
Araca type tin ores, 274
Arbuckle Mountains, Oklahoma, 722
Argentite, pseudomorphs after proustite, 526
Arkansas, variations in magnetic declination, 651
Armas, M., on Bolivian tin deposits, 274; on rhyolite dikes in Bolivian tin deposits, 215
Arsenopyrite, in tin deposits, 230
Arsenopyrite deposition, Dolores mine, Mexico, 478
Asbestos, recent literature on, 100, 406
Asphalt, Oklahoma, 721, 722
Assays—wollastonite, 492
Augite, fusing point, 5
Augite andesite, 692
Australia, tin production, 212
Axinite, in tin deposits, 231

B. B. ore body, Idado, 361
Bacteria, oxidation of hydrogen sulphide by, 742; thionic acid, 743
Bain, H. F. (editor), review of work by, 507; on lead and zinc ores of the Wisconsin district, 508
Bakerville tin mine, Queensland, Australia, 267
Balcones fault line, Texas, 374
Baldhill oil pool, Oklahoma, 728
Baltimore gneiss, 767
Banka, greisen, 235; tin deposits, 212 (table); tin production, 212
Barber's Hill saline, Tex., 368, 372
Barite, in pre-Cambrian iron ores of Highlands, 183; replacing limestone, 529
Barometer, for field use, 623
Barry, J. G., geological work by, 447
Bartlesville oil pool, Oklahoma, 726
Basalt, 344, 453; temperature data on, 2
Basalt sheets, influence on magnetic needle, 659
Base line, measurement of, 625
Basic gneisses containing graphite, 765
Basic igneous intrusion on a Lake Superior iron-bearing formation. The effects of a (Zapffe), 145–178
Bastin, E. S., *The graphite deposits of Ceylon; a review of present knowledge with a description of a similar graphite deposit near Dillon, Montana*, 419–443; reviews by, 202, 599; on pegmatites in Maine, 183; on the origin of graphite, 431
Bastin, E. S., and Hill, J. M., on wollastonite in Colorado, 424
Bateman, A. M., and Ferguson, H. G., *Geologic features of tin deposits*, 209–262
Batholith, St. Helens district, Washington, 346
Batson saline dome, Texas, 368, 371
Bauchi, tin deposits, 542
Bayley, W. S., *A peculiar hematite ore on the tract of the Durham mine, Durham, Penna.*, 179–184; review by, 90; review of report by, 204
Bayou Castor saline, La., 368
Bayou Choupique, Louisiana, sulphur, 371
Beaumont, Elie de, on origin of tin veins, 264
Beck, K., on German salt deposits, 125
Beck, R., on Bolivian tin deposits, 274; on contact metamorphic deposits, 266; on tin deposits, 265; on tin deposits of Banca and Billiton, 252
Becke F., on structure of replaced rocks, 528
Becker, G. F., on origin of petroleum deposits, 648; on replacement, 522; on solution of gold, 746
Bedded sulphur deposits, 736
Beggs oil pool, Oklahoma, 728
Belle Isle saline, La., 368
Benoist oil sand, 579
Benthe-horst salt dome, Germany, section, 126
Berea oil pool, Oklahoma, 726
Bergeat, A., on iron ores of Rhine region, 192; on rocks of Stromboli, 691; on tin deposits, 265; in Campiglia Marittima, 268
Berks Co., Pa., graphite mines, 763; graphite deposits, 765
Beryl, fusing point, 3; in tin deposits, 231
Beyschlag, Krusch, and Vogt, on iron deposits, 562; on tin deposits, 265
Bibliography—garnet deposits, New York, 501; graphite deposits, Cey-

lon, 432; graphite deposits, Pennsylvania, 775; tin deposits, 257
Bidlingmaier, Fr., on locus of magnetic iron, 656
Big Creek oil pool, Oklahoma, 726
Big Eight ore body, Idaho, 361
Big Hill saline, Tex., 368, 372, 374
Billiton, tin deposits, 212 (table); tin production, 212
Bird Creek oil pool, Oklahoma, 727
Bird's Nest claim, graphite deposits, Dillon, Mont., 440
Birdsville formation, 578
Bischof, G., on analysis of wavellite, 389; on precipitation by hydrogen sulphide, 73; on pseudomorphs, 526
Bismuth, association with tin deposits, 232
Bismuth ores, association with tin ores, 277
Bistineau saline, La., 368, 374
Bittenbender iron mine, Pa., 765
Black Hills, pegmatitic tin lode, 222; tin deposits, 212 (table), 264
Blatchley, R. S., *The structural relations of the oil fields of Crawford and Lawrence counties, Illinois*, 574–582
Blende deposition, Dolores mine, Mexico, 480
Blow, A. A., on Iron Hill ore bodies, Leadville, Colo., 321
Bluebird granite, 36
Blue Bird mine, Notes on the (Winchell and Winchell), 287–294
Blue Bird mine, Montana, location, 287
Blue Ridge saline, Tex., 368
Blue Tier, Tasmania, tin deposits, 212 (table)
Blum, J. H., on pseudomorphs, 526
Bolivia, tin deposits, 212 (table), 219, 273; tin production, 212
Boone chert, 720
Booth, Garrett, & Blair, analyses by, 467
Boracite, transformations, 678
Borneo, Samarinda, geothermic gradient, 539
Böse, E., on sulphur veins at Conejos, Mexico, 734
Boulder batholith, Butte district, Montana, 225; age, 76
Boulder batholith, granite, chemical analysis, 41
Boulder quartz monzonite batholith, 290
Boyertown, Pa., graphite mines, 763
Brazilian iron ores, exploration of, 673
Breece Hill, Colo., ore deposits, 321
Breitenbrunn tin deposits, 268
Breithaupt, definition of paragenesis, 638
Brevik, Sweden, quartzite pebbles in diabase flow, 685
Bridgeport oil sand, 578
British Columbia, East Kootenay district, 351
Brittany, France, tin deposits, 212 (table)
Brögger, W. C., on zeolites in pegmatite dikes, 476
Brokaw, A. D., on solution of gold, 744
Bronzite, fusing point, 4
Brookite and anatase, association, 697
Brooks, A. H., on growth of literature of economic geology, 675
Brook's saline, Tex., 368, 374
Brown's saline, La., 368
Brun, Albert, fusing points of minerals, 3; on gases in fumaroles, 687; on hydrogen sulphide and sulphur dioxide, 732; on solidification temperature of certain acid lavas, 704; on volcanic exhalations, 1
Brun's new data on volcanism (Winchell), 1
Bryant Heights saline, Tex., 368
Bryon Heights saline, Texas, 372
Buchanan oil sand, 578
Buckingham, Quebec, graphite deposits, 432
Buckley, E. R., on lead and zinc deposits of the Ozark region, 508; on replacement, 530
Buehler, H. A., and Gottschalk, V. H., Oxidation of sulphides, 15–34
Bungo Province, Japan, tin deposits, 212 (table)
Burma, tin deposits, 212 (table), 223
Burro Mountains, New Mexico, The origin of the turquoise in the (Paige), 382–392
Burro Mountains, N. Mex., geology, 383
Butler, G. M., *Some recent developments at Leadville*, 315–323
Butte, Montana, Conditions of mineralization in the copper veins at (Kirk), 35–82
Butte, Mont., district, copper ores, origin, 78
Butte granite, 36; composition, 39;

successive alterations, 69; weathering of, 65
Byers, Pa., graphite mines, 768
Byram gneiss, 179
Bytownite, fusing point, 4

Calcite, 464; conversion table for, 137, 138; replacement by galena, 530
Calcite gangue, effect on secondary enrichment of copper veins, 785
Calcium carbonate, dissociation, 699; in magmas, 700
California, Santa Maria oil field, geothermic gradient, 539; tin deposits, 212 (table)
Campiglia, Marittima, tin deposits, 212 (table), 253, 268
Cananea granite, 334
Cananea Mountains, 326
Canary oil pool, Oklahoma, 726
Cape Colony, tin deposits, 212 (table)
Cape York, Alaska, tin deposits, 212 (table)
Capote quartzite, 327
Carbide theory of oil genesis, 660
Carbon, reducing action on iron sulphides, 768
Carbonas, 221
Carbondale formation, Crawford Co., Ill., 576
Carboniferous rocks, Oklahoma, 720
Carlyle oil sand, 579
Carmen mine, Dolores district, Mexico, 482
Cascade uplift, age, 346
Cassiterite, 218, 222, 224, 264; genetic distribution and gradation of associated minerals, 255; production of, 251
Cebolla district, Gunnison County, Colorado, The iron ore deposits of the (Singewald), 560–573
Cebolla iron district, Colo., geologic map, 563; location, 560; view of Iron Hill, 565
Cedar Bayou saline, La., 368
Cementing, differential, in oil-bearing sands, 708
Cerro de Potosi, Bolivia, stannite ores, 272
Cerro San Cristobal, Mexico, minerals of, 694
Ceylon, The graphite deposits of (Bastin), 419–443
Ceylon, graphite mines, location, 423; location and physiography, 421; production and export of graphite, 420, 421
Ceylon graphite, bibliography, 432
Chalcedonite, crystallization of, 690
Chalcocite, at Butte, Mont., 72; concentration, 72; origin, 75; replacing pyrite, 54
Chalcopyrite, 338; in tin deposits, 230
Chamberlin, R. T., on gases in rocks, 6
Chauvenet, Regis, on the Cebolla iron deposit, 560, 561
Chelsea oil pool, Oklahoma, 726
Chemical analyses — cordierite-magnetite, 161; cordierite-norite, 160; garnet rock, 332; granite, 753, 756, 761; granite and greisen, Erzgebirge, 237–240; Grainsgill, 244; New South Wales, 241; granite from Boulder batholith, 41; granites and quartz-porphyries from tin-producing regions, 216; Gunflint ferrous carbonate, 162; Gunflint iron-bearing formation, 153; iron ore, Cebolla district, Colo., 570; Mine Hill, 180, 182; iron ore, Rattlesnake Hill, 180; limestone, 335; altered, 468; Mesabi ferrous silicate (greenalite), 162; Mesabi taconite, 161; monzonite, altered, 469; ore from Louemma mine, Leadville, Colo., 318; Penokee-Gogebic ferrous carbonate, 162; Penokee-Gogebic ferruginous chert, 161; perthite, 157; printed forms for, 138; rock, conversion into terms of minerals, 136; tuff, 329; water from Steamboat Springs, Nevada, 587
Chemical reactions in their application to temperature measurements of geological occurrences, Transformations and (Koenigsberger), 676–707
Chemical reactions as geological thermometers, 699
Chemistry of silicates, 690
Chester beds, 578
Chester Co., Pa., graphite mines, 763
Chicot saline, Pine Prairie, La., 368
Childers oil pool, Oklahoma, 726
Chili, gold-copper veins, 271
China, tin production, 212
Chlorite, in Butte granite, 39; in granite, 58; in tin deposits, 230
Chloritic processes, 49, 50
Chorolque tin deposits, Bolivia, 274
Chromite, fusing point, 5
Chrysolite, fusing point, 4
Circulation of sulphur, 742

Cirkel, Fritz, on the origin of graphite, 431
Cirques, St. Helens district, Washington, 342
Clapeyron's formula, 683
Clapp, F. G., *The occurrence of oil and gas deposits associated with quaquaversal structure*, 364–381
Clarke, F. W., on use of term paragenesis, 639
Classification—contact metamorphic ore deposits, 490; mineral occurrences, 644; petroleum and natural gas fields, 364; salt deposits, 120; veins of Butte district, 69
Clay, natural history of, 601; recent literature on, 100, 609
Clements, J. M., on Keewatin greenstones, 147; on Logan sills, 158; on the Gunflint iron-bearing formation, 161
Cleveland oil field, Oklahoma, 727
Cleveland vein, Leadville, 315
Clinton iron ores, 507
Coal, recent literature on, 100, 306, 406, 609, 713
Coal beds, formation of, 89
Coal Bluff saline, La., 368
Coal County, Oklahoma, oil and gas prospects, 729
Cobalt district, Ontario, 510
Cobriza intrusion, 444, 451
Cobriza mine, Matehuala, S. L. P., Mexico, 446
Coeur d'Alene ore deposits, comparison with East Kootenay ore deposits, 359
Coghill, W. H., discussion by, 783
Collinsville gas field, Oklahoma, 726
Columbite, in tin deposits, 231
Compass, for planetable work, 622
Comstock lode, abnormal temperatures, 583
Concave surfaces, of ore bodies, 199
Conditions of mineralization in the copper veins at Butte, Montana (Kirk), 35–82
Conditions governing addition of lime to alaskite quartz magmas, 486
Conductivity, electrical, 30; electrochemical series, 30
Conejos, Mexico, sulphur veins, 734
Congo, tin deposits, 212 (table)
Constant field, temperature measurements, 539
Contact alteration of Gunflint iron-bearing formation, 169
Contact garnet zones, origin, 333
Contact metamorphic ore deposit, Study of; the Dolores mine, at Matehuala, S. L. P., Mexico (Spurr, Garrey, and Fenner), 444–484
Contact metamorphic deposits, 266
Contact metamorphic effects, 220
Contact metamorphic zones, classification, 490
Contact metamorphism, Cebolla iron district, Colo., 569; effects on limestones, 702; Elisa mining district, Sonora, Mexico, 330; falling temperature during, 487; Sierra del Fraile, Mexico, 454; solutions producing, origin, 485
Contact phenomena, 511
Continental (Acme) graphite mine, 767
Continental fault, Butte, Mont., 37
Conversion of analyses, graphic method, 137; into terms of minerals, 136
Coochie dome saline, La., 368, 374
Coodys Bluff oil pool, Oklahoma, 726
Coomaraswamy, A. K., on graphite deposits of Ceylon, 432
Copan oil pool, Oklahoma, 726
Copper, association with tin ore, 232; at Butte, Mont., 71; Dolores mines, Mexico, 482; fusing point, 5; production of Butte, Mont., 35; recent literature on, 96, 303, 404, 607, 711
Copper deposits, Cornwall, 270; Coro-Coro, Bolivia, 592; Dolores mine, Mexico, 450, 477; Elisa mine, Sonora, Mexico, 337; Lake Superior region, 595; Michigan, 509
Copper ores, Butte, Mont., origin, 78; Dolores mine, Mexico, 446; Ludwig mine, Nevada, 185
Copper veins at Butte, Montana, Conditions of mineralization in the (Kirk), 35–82
Copper veins, secondary enrichment, 785
Copper-gold veins, Chili, 271
Copper-tin veins, Herberton district, Queensland, 270; Thelemark district, Norway, 271
Cordierite, 148, 152, 165; fusing point, 3
Cordierite-magnetite, 151, 167; analysis, 161
Cordierite-norite, 160; analysis, 160
Cornish lode-tin deposits, 221
Cornwall, copper deposits, 270; tin

deposits, 212 (table), 269; erosion, 225; section, 226
Cornwall, tourmalinization, 235
Coro-Coro, Bolivia, copper deposits, 592
Cote Blanche saline, La., 368
Cote Carline, Jefferson's Island, La., 368
Cotton, L. A., on metasomatic processes, 238, 242; on tin deposits of New England, 228
Cotton Creek oil pool, Oklahoma, 726
Craig County, Oklahoma, oil and gas, 728
Crawford Co., Ill., oil field, 576
Creek County, Oklahoma, oil fields, 727
Cretaceous area, Oklahoma, oil possibilities, 725
Cretaceous rocks, Oklahoma, 720
Cristobalite, 684; transformation into quartz, 688
Cross-sections (*see* Sections)
Crown Point workings, graphite deposits, Dillon, Mont., 436
Crystal Falls district, iron mines, 667
Crystal Graphite Company mine, 435
Crystallization, agency in production of salt domes, 133; force of, 532; in yielding substances, 533
Crystallization process, 197
Cuban iron ores, exploration of, 672
"Curing," graphite, 428
Cusack, R., fusing points of minerals, 3
Cushing oil pool, Oklahoma, 727
Cyanite, fusing point, 3
Cypress sandstone, 579

Dacite, 291; Goldfield, Nevada, alteration, 248
Dale, T. N., on white mica as alteration product in granite, 388
Dalmer, K., on origin of tin deposits, 253; on the Erzgebirge greisen, 237
Daly, R. A., on rocks of Purcell range, 351
Damon's Mound saline, Tex., 368, 372, 374
Dana's Manual of Mineralogy (review of), 788
Danburite, in tin deposits, 231
Data, new, on volcanism, Brun's (Winchell), 1
Daubree, A., on association of tin veins with granitic rocks, 263; on production of cassiterite, 251; temperature in "oil mines," 536
Davis Hill saline, Tex., 368
Day, A. L., and Shepherd, E. S., on forms of quartz, 684; on transformations for the measurement of geological temperatures, 682
Day *et. al.*, fusing points of minerals, 3
Dayton saline, Tex., 368
Dead rocks, behavior, 12
Definitions—calorific capacity, 1; explosion temperature, 1; fusing point of lava, 1; temperature of deformation, 1
Delaware Extension oil pool, Oklahoma, 726
Delaware oil pool, Oklahoma, 726
Delesse, A., on formation of fayalite, 174
Deposition, sequence at Dolores, 487
Deposition of gold in nature, The transportation and (Lenher), 744–750
Deposition theory of origin of salt domes, 129
Derby, O. A., on the gold-bearing lode of Passagem, 290
Detailed geologic mapping, The plane-table in (Ransome), 113–119
Developments at Leadville, Some recent (Butler), 315–323
Devil's Slide Creek, 342
Devonian iron ores of Germany and Hungary, 192
Devonshire, tin deposits, 212 (table)
Dewey, on solution of gold, 745
Dewey oil pool, Oklahoma, 726
Diabase, melting temperature, 686
Diabase flow, quartzite pebbles in, 685
Diagnosis, geological (editorial), 83–86
Diallage, fusing point, 5
Diamond, recent literature on, 102
Dickman & MacKenzie, analysis by, 153
Diemer, M. E., experiment in pyritization, 48
Differential cementing in sandstone, 708
Differentiation (*see also* magmatic differentiation); in granite magmas, 233
Dikes, 215, 222; in Pickering gneiss, 769
Dillon, Montana, graphite deposits, 435
Dimroth, O., on reversible transformations, 680
Diopside, 334; fusing point, 4

Diorite, 343
Dip angles, use in taking elevations, 634
Dips on geologic sections, graphic method for, 190
Discussion—Abnormal temperatures on the Comstock lode (Locke), 583–587
Certain natural associations of gold (Lincoln), 87–88
Coro-Coro, Bolivia, deposits (Strauss), 592–593
Criteria for replacement ore bodies (Knox), 295
Graphic method for dips on geologic sections (Hewett), 190
Llano-Burnet region, Texas (Paige), 593–594
Necessity for a theory of differential cementing, in prospecting for oil (Johnson), 708–709
Note on the effect of calcite gangue on the secondary enrichment of copper veins (Welsh and Stewart), 785
Origin of iron ores (Singewald), 191
Origin of the anhydrite at the Ludwig mine, Lyon County, Nevada (Jones), 400
Peculiar occurrence of silver (Coghill), 783
Planetable in geologic mapping (Pelton and Irwin), 778
Planetable in detailed geologic mapping (Higgins), 502
Recent developments at Leadville, Colo. (Moore), 590–592
Replacement of silicious rock by pyrite (Turner), 709
Replacement ore bodies (Stevens), 195
Specific gravity of mixtures (Sharwood), 588–590
Teaching of economic geology (Smith), 297; (Tolman), 393
Dissociation of calcium carbonate, 699
Dittrich, M., on sericite, 56
Dixon, Joseph, importation of graphite by, 419
Doelter, C., on fusing points of minerals, 3; on temperature of lava of Vesuvius, 705; on transformations for the measurement of geological temperatures, 682
Dolcoath tin-copper mine, Cornwall, 270
Dolomite, cavities in, in Black Hills, 532
Dolores, sequence of deposition, 487
Dolores and La Paz ores, genetic relations, 484
Dolores intrusion, 444, 450, 486
Dolores mine, at Matehuala, S. L. P., Mexico, The; Study of a contact metamorphic ore deposit (Spurr, Garrey, and Fenner), 444–484
Dolores mine, Mexico, geology, 447; situation, 444, 445, 447
Dolores veins, sampling for gold and silver, 479
Dome structure of salines, 369
Domes, salt, 122
Don, J. R., on solution of gold, 745
Drake's saline dome, La., 368, 374
Duluth gabbro, 147, 154; mineral composition, 177
Duparc, Louis, review of paper by, 202; on cepollino-marble in pegmatites, 703
Durangite, in tin deposits, 231
Durham mine, Durham, Penna., A peculiar hematite ore on the tract of the (Bayley), 179–184

Ear Mountain, Alaska, section, 227; tin deposit, 220
East Kootenay, British Columbia, The origin of the silver-lead deposits of (Schofield), 351–363
East Kootenay ore deposits, comparison with Coeur d'Alene ore deposits, 359
Economic geology, Recent literature on (Loughlin and Goodspeed), 96; (Knopf and Umpleby), 303, 404, 607; (Umpleby), 711
Economic geology, St. Helens district, Washington, 349; teaching of, 297, 393
Editorial—Geological diagnosis, 83–86
Edlinger, W., on the Lancelot copper-tin vein, 270
Effects of a basic igneous intrusion on a Lake Superior iron-bearing formation, The (Zapffe), 145–178
Eggleston, on solution of gold, 746
Einigkeit salt dome near Fallersleben, section, 128
Electra oil field, Texas, 723
Electrical conductivity, 30
Electrolytic action, in oxidation of sulphides, 28
Eleolite, fusing point, 4
Elevation, determination of, in plane-

table work, 781; by means of dip angles, 634
Elisa mine, Sonora, Mexico, A geological study of the (Lee), 324–339
Elisa quartz-monzonite-porphyry, 330
Elisa tuff, 330
Elsass, Oberkutzenhausen, temperature measurements, 538; Pechelbronn, temperature measurements, 536
Elvan, analyses, 216
Emmons, S. F., on Cobalt district, Ontario, 510; on faulting in Butte district, 37; on metasomatism, 522; on ore deposits of Santa Rita district, N. Mex., 549; on origin of ores at Leadville, Colo., 320; on the Elisa mine, Sonora, Mexico, 333
Emmons, W. H., on manganese in surface enrichment, 84; on outcrop of ore bodies, 512; on the agency of manganese in alteration and enrichment of gold deposits, 744; on the genetic classification of minerals, 643
Enantiotropism, 677
Enargite, concentration, 72; experiment on, 24
England, tin production, 212
Enrichment of ore deposits, 554
Epidote, 464; development in granite, 59; fusing point, 3
Equations representing replacement, defects of, 530
Erosion, control over tin deposits, 224; relation to iron ores in Cuba, 673; Sierra del Fraile, Mexico, 452
Erzgebirge, Albertham (tin deposits), section, 226; greisen, 235; tin deposits, 212 (table); Zinnwald tin deposits, 221
Esmeralda mine, La Paz district, Mexico, 482
Everding, H., on Stassfurt rock salt deposits, 123
Everetts, C. G. S., on loss of magnetic properties in iron, 656
Examination of prospects, a mining geology (review), 599
Experiments, on effect of calcite gangue on secondary enrichment of copper veins, 786; on oxidation of sulphides, 16
Exploration, Use of geology in iron ore (Leith), 662–675

Faithful claim, graphite deposits, Dillon, Mont., 439
Falconer, J. D., *Nigerian tin; its occurrence and origin*, 542–546
Fault lines, controlling saline domes, Louisiana, 373
Fault problems, graphical solution, 301
Fault systems, Elisa mining district, Sonora, Mexico, 330; relation to ore deposits, 331
Faulting, Butte, Mont., 37; age of, Dolores mine, Mexico, 452; Leadville district, Colo., 317; St. Helens district, Washington, 347; Santa Rita district, N. Mex., 558; Sierra del Fraile, Mexico, 448
Fayalite, 152; formation of, 174
Federal Graphite Company graphite deposits, 769
Feldspar, 265
Fenneman, N. M., on saline domes, 367
Fenner, C. N., Spurr, J. E., and Garrey, G. H., *Study of a contact metamorphic ore-deposit; the Dolores mine, at Matehuala, S. L. P., Mexico*, 444–484; study of rock collections, 446
Ferguson, H. G., and Bateman, A. M., *Geologic features of tin deposits*, 209–262
Field equipment of geologist, 113
Finland, tin deposits, 212 (table), 225, 267
Fissure system, St. Eugene deposit, East Kootenay, B. C., 356
Fissure theory of the origin of the sulphide replacement ores, Leadville. Colo., 322
Fissure veins, Mina Mexico, Sonora, 286
Fissures, tin-deposits, 221
Five Islands, Louisiana, 368, 374
Flat Rock oil pool, Oklahoma, 727
Fleming, J. A., on locus of magnetizable substances, 657
Flötze, 221
Fluorite, 463; fusing point, 4; in tin deposits, 230; replacing limestone, 529
Flux, recent literature on, 102
Folding, Santa Rita district, N. Mex., 553
Force of crystallization, 532
Ford, W. E., review of work by, 788
Form of salt deposits, The (Hahn), 120–135
Forsterite, fusing point, 4
France, tin deposits, 212 (table)
Franklin limestone, 766; origin, 773

Franklin Mountains, Texas, tin-bearing granite, section, 227; tin deposits, 212 (table)
Fulda, E., on salt deposits, 132
Fumeroles, temperature, 12
Fusing points of important minerals, 3

Gabbro, contact phase, Gunflint district, mineral composition, 178; containing graphite, 764
Gale alidade, 622
Galena, experiment on, 21, 22, 31; fusing point, 4; in tin deposits, 230; replacing calcite, 530
Galena deposition, Dolores mine, Mexico, 480
Galicia, Spain, tin deposits, 212 (table)
Galle group, Ceylon, 424
Garnet, 331, 458, 462; embedded in galena, 354
Garnet-bearing rock, mineralogical composition, 501
Garnet deposits of Warren County, New York, The (Miller), 493–501
Garnet deposits, origin, 498
Garnet mines, United States, 493
Garnet rock, analysis, 332
Garrey, G. H., Fenner, C. N., and Spurr, J. E., *Study of a contact metamorphic ore-deposit; the Dolores mine, at Matehuala, S. L. P., Mexico*, 444–484
Gas (*see* Natural gas)
Gas deposits associated with quaquaversal structure, The occurrence of oil and (Clapp), 364–381
"Gas" sand, 578
Geinitz, G., on German salt deposits, 125
Genesis (*see also* Origin), silver-lead ores, East Kootenay, B. C., 358; tin deposits, 233
Genetic relations of tin deposits, Some (Singewald), 263–279
Genetic relationships, tin ores, 278
Geologic and structural relations at Santa Rita (Chino) New Mexico, The (Paige), 547–559
Geologic features of tin deposits (Ferguson and Bateman), 209–262
Geologic mapping, Planetable methods as adapted to (Wegemann), 621–637
Geologic mapping, The plane-table in detailed (Ransome), 113–119
Geologic mapping, 633; planetable method, 502
Geologic maps—Cebolla iron district, Colo., 563; Elisa mining district, Sonora, Mexico, 325; North Creek and Thirteenth Lake areas, New York, 495; Santa Rita district, N. Mex., 555
Geological diagnosis (Irving), 83–86
Geological occurrences, Transformations and chemical reactions in their application to temperature measurements of (Koenigsberger), 676–707
Geological short-cuts, Some (Mead), 136–144
Geological study of the Elisa mine, Sonora, Mexico, A (Lee), 324–339
Geological thermometers, 679; chemical reactions as, 699
Geologist's slide rule, 138 (plate), 139; operation, 140
Geology in iron ore exploration, Use of (Leith), 662–675
Geology of the graphite deposits of Pennsylvania, The (Miller), 762–777
Geology of the Mina Mexico vein, Notes on the (Hynes), 280–286
Geology of the St. Helens mining district of Washington, The (Zapffe), 340–350
Geology—Burro Mountains, N. Mex., turquoise deposits, 382; Butte, Mont., 36; Cebolla iron district, Colo., 562; Dolores mine, Mexico, 447; Durham iron mine, 179; East Kootenay district, British Columbia, 351; Elisa mine, Sonora, Mexico, 326, Garnet deposits, Warren Co., N. Y., 493; Lahn-Dill district, Germany, 192; Leadville district, Colorado, 316; Mina Mexico district, Sonora, Mexico, 280; Santa Rita district, N. Mex., 552; Sturgeon Lake field, Ontario, 751; tin regions, 212
Geology of the Lake Superior region (review of), 595
Geothermic gradient, 536, 539; in oil regions, 540
German deposits of rock salt, 123
Gessolungo-Trigona mine, Caltanissetta, Sicily, sulphur beds, 737
Gilsonite, 721
Glenn oil pool, Oklahoma, 727
Gneiss, 767; containing graphite, 765, 767
Gneisses, Ceylon, 423
Goergey, R., on salt deposits, 134
Gogebic district, iron mines, 667
Gold, action of thiosulphate on, 747; associated with wollastonite, 491; aurous state, 749; fusing point, 5;

La Paz mine, Mexico, 483; Leadville, Colo., 318; precipitation of, 745, 746; recent literature on, 96, 303, 404, 608, 711; reduction of auric to aurous state, 749; solubility of, 745; solution in alkaline sulphides, 746
Gold in nature, The transportation and deposition of (Lenher), 744–750
Gold deposits, Treadwell mines, Alaska, 510
Gold ore, Blue Bird mine, 287; Penn Yan property, Montana, 287
Gold sulphites, 748
Gold-bearing conglomerates of Witwatersrand, 511
Gold-copper veins, Chili, 271
Goldfield, Nevada, dacite, alteration of, 248
Golubjatnikow, on temperature measurement in Russia, 539
Goodspeed, G. E., Jr., and Loughlin, G. F., *Recent literature on economic geology*, 96–109
Gottschalk, V. H., and Buehler, H. A., *Oxidation of sulphides*, 15–34
Gould, C. N., *Petroleum and natural gas in Oklahoma*, 719–731
Graeff, F., on marble inclusions at Oberschaffhausen, 701
Grahamite, 721
Graham's saline, Tex., 368
Grainsgill, Carrock Fell, England, greisen, 236
Grand Cote saline, Week's Island, La., 368
Grand saline, Tex., 368
Granite, 753; analyses, 41, 216, 237–241, 753, 756, 761; Blue Bird mine, Montana, 290; Butte, Mont., 37–46; Ceylon, 425; kaolinitic phase, 62; tin-bearing, 213; petrographic characters, 214
Granite and the source of vein-quartz at the St. Anthony mine, Hydrothermal alteration of (Moore), 751–761
Granite mine, Coeur d'Alene, Idaho, 359
Granitic magmas, differentiation in, 233
Granodiorite, 753
Grant, W. H., geological work by, 447
Graphic method for dips on geologic sections, 190
Graphical solution of fault problems (review), 301
Graphite, amount in Pickering gneiss, 770; "curing," 428; flakes, size and character, 770; forms of, 426 (pl. 2); in acid gneisses, 767; in basic gneisses, 765; in crystalline limestone, 442, 766; in gabbro, 764; in granitic rocks, 439; in lime-silicate rocks, 441; in limonite ore, 764; in sandstone, 764; mining and preparation for market, 427; modes of occurrence, 769–772; production in Ceylon, 420; exports, 421; recent literature on, 102, 306, 610; structure, 438; uses and prices, 429
Graphite deposits of Ceylon; a review of present knowledge with a description of a similar graphite deposit near Dillon, Montana (Bastin), 419–443
Graphite deposits of Pennsylvania, The geology of the (Miller), 762–777
Graphite deposits, Ceylon, bibliography, 432; occurrence, 425; Dillon, Montana, 435; Lead Hill, New York, 443; Pennsylvania, location, 762; occurrence, 764; origin, 774
Graphite mines, Ceylon, location, 423
Graphite veins, Ceylon, origin, 430
Graphitic gneisses, Pa., relation to crystalline limestones, 772
Gratacap, L. P., review of work by, 790
Graton, L. C., on the Santa Rita region, New Mexico, 547
Gravels, tin-bearing, Nigeria, 542
Great Fault, Sierra del Fraile, S. L. P., Mexico, 449
Green River, Washington, 342
Greenalite, alteration to magnetite, 168; analysis, 162
Greene Co., Pa., gas field, 365
Greenstones, Gunflint district, 148; metamorphosed, mineral composition, 175
Greisen, 234; Erzgebirge, analyses, 237–240; New South Wales, analyses, 241
Greisenization, 234; chemical changes in, 236; diagram, 246
Grenville series, 493, 773
Grossularite, 456; fusing point, 4
Grossularite garnet, 458
Groth, P., on chemical crystallography, 677
Grubenmann, U., on stability of minerals, 59
Grupe, O., on salt domes, 121
Gulf Coastal Plain, oil and gas indications, 377

Gunflint ferrous carbonate, analysis, 162
Gunflint iron-bearing formation, 146, 150; analyses, 153; original character, 160; recrystallization in, 172
Gunflint iron district, geology, 146; location, 145
Gunther, C. G., review of book by, 599
Gypsum and anhydrite at the Ludwig mine, Lyon County, Nevada, The occurrence and origin of (Rogers), 185–189
Gypsum, formed from anhydrite, 188; Ludwig mine, Lyon County, Nevada, 185, 400

Haase, von, on the double sulphite of gold and ammonium, 748
Hackberry saline, La., 368
Hager, Lee, on mounds in southern oil fields, 377
Hahn, F. F., *The form of salt deposits*, 120–135
Halite, fusing point, 4
Hallowell, J. K., on the Cebolla iron deposit, 560
Hamilton oil pool, Oklahoma, 728
Hand compass, for field use, 623
Hanover type of salt deposits, 124
Harbort, E., on origin of salt deposits, 131; on salt domes, 121; on the origin of certain Devonian hematites, 193
Harker, Albert, on conversion tables, 136; on Grainsgill greisen, 245
Harris, G. D., on Cretaceous rocks of salines, 369; on distribution of salt domes, 374; on origin of salt domes, 132; on salt domes, 121, 367; on Spindle Top dome, 370
Harrison Co., Ohio, anticlinal bulge, 366
Haskell County, Oklahoma, oil and gas prospects, 730
Hatch, F. H., review of book by, 203; on gold-bearing conglomerates of Witwatersrand, 511
Hautefeuille, P., on inversion of sphalerite into wurtzite, 71
Hauynite, fusing point, 5
Hawley, F. G., analyses by, 329, 332, 335
Hayes, C. W., on origin of salt domes, 130
Hayes, C. W., and Kennedy, Wm., on saline domes, 367, 374
Hedenbergite, 461; fusing point, 5
Heemskirk, Tasmania, tin deposits, 212 (table)
Hematite, fusing point, 4
Hematite ore on the tract of the Durham mine, Durham, Penna., A peculiar (Bayley), 179–184
Hematite ores, Adirondacks, 181
Henrietta diorite-porphyry, 328
Henryetta oil pool, Oklahoma, 728
Herberton, Queensland, tin deposits, 212 (table)
Hershey, O. H., on the Treadwell mines, Alaska, 510
Heterosite, in tin deposits, 231
Hewett, D. F., discussion by, 190
Hickling, George, on origin and nature of china-clay, 388
Higgins, D. F., discussion by, 502
High Island saline dome, Texas, 368, 372, 374
Hill, R. T., crystallization theory of salines, 377; on origin of salt domes, 130; on Spindle Top oil field, 377
Hintze, C., on analyses of tridymite and cristobalite, 690
History, graphite mining, Pa., 762
Höfer, Hans v., *Temperature in oil regions*, 536–541
Högbom, A. G., on the nepheline syenite of Alnö, 701
Hogshooter gas field, Oklahoma, 726
Homestake granite, 39
Hooper garnet mines, 493, 494, 497
Hoppe-Seyler, on reduction of calcium sulphate, 738
Hornblende, fusing point, 3
Hoskins Mound saline, Tex., 368, 372
Hot springs, Cebolla district, Colo., 565
Hughes County, Oklahoma, oil and gas prospects, 729
Humdle saline dome, Texas, 368, 371
Hunst, W. F., review by, 604
Hunt, T. S., on the origin of graphite, 431
Hydrogen sulphide, in water of Black Sea, 740; in water of Wiessowo Salt Lake, 740
Hydrogen sulphide, source, 733
Hydrolysis, in experimental oxidation of sulphides, 18
Hydrous silicates, 475
Hydrothermal alteration of granite and the source of vein-quartz at the St. Anthony mine (Moore), 751–761
Hydrothermal alteration, 246
Hynes, D. P., *Notes on the geology of the Mina Mexico vein*, 280–286
Hypersthene, fusing point, 4

Hypersthene-tridymite druses, 696

Idioblast, 528
Iddings, J. P., review of work by, 90; on conversion of analyses, 136; on formation of fayalite, 174
Igneous intrusion on a Lake Superior iron-bearing formation, The effects of a basic (Zapffe), 145–178
Ilmenite, fusing point, 4; in tin deposits, 231; transformation, 678
Illinois oil fields, map of, 575
Illinski, A. X., analyses by, 34
Inclusions in magmas, 689
Interaction of minerals, 64
Introduction to the study of minerals (review of), 604
Intrusions, Dolores mine, Mexico, 452; Santa Rita district, N. Mex., 552, 556
Iron, geological evidence for existence in igneous rocks, 657; loss of magnetic properties, 656; recent literature on, 98, 99, 304, 405, 608; sulphidation of, 49
Iron deposits, Cebolla district, Colo., 566; Lake Superior region, 595
Iron formation, Gunflint district, 151; mineral composition, 176
Iron formation contacts, Gunflint district, mineral composition, 176
Iron Hill, Cebolla district, Colo., view of, 565
Iron Hill ore deposits, Leadville, Colo., 321
Iron mines and mining, New Jersey, 204
Iron ore deposits of the Cebolla district, Gunnison County, Colorado, The (Singewald), 560–573
Iron ore exploration, Use of geology in (Leith), 662–675
Iron ores (*see also* Hematite ores); analysis, 570; Clinton, 507; Gunflint district, mineral composition, 175; Lake Superior region, 507; Llano-Burnet region, Texas, 593; Pennsylvania, 765
Iron resources of world, development of, 299
Iron River district, iron mines, 667
Iron sulphides, precipitation by carbon, 768
Irregularities of the lines of magnetic declination and the petroleum fields, The lack of association of the (Tarr), 647–661
Irving, J. D., *Geological diagnosis*, 83–86; on cavities in silicified dolomite, 532; on fidelity of replacement, 531; on replacement ore bodies, 511, 524
Irving, J. D., and Bancroft, H., on tetrahedrite as a primary mineral, 286
Irwin, D. D., and Pelton, E. F., *The plane-table in geologic mapping*, 778–783
Isoclinals, 653
Isogonics, irregularities in Minnesota and Wisconsin, 650
Isomerism, 676

Japan, Echigo oil field, geothermic gradient, 539
Japan, tin deposits, 212 (table), 219
Japanese sulphur deposits, origin, 733
Jarosite, 385
Jefferson Co., Ohio, anticlinal bulge, 366
Jennings oil field, Louisiana, 371, 374
Johnson, R. H., discussion by, 708
Johnson Co., Wyo., anticlinal bulge, 366
Johnston, J., on pressure of carbonic acid over calcium carbonate, 699
Joly, J., fusing points of minerals, 3
Jones, J. C., discussion by, 400

Kalicky, on temperature measurement, 539
Kaolinitic phase of granite, 62
Kaolinization, 64–67
Katamorphism, St. Helens district, Washington, 348
Kay County, Oklahoma, oil fields, 728
Keewatin basic rock in granite, 752
Keewatin greenstones, Gunflint district, 146, 147; composition, 149
Kemp, J. F., review by, 595; definition of paragenesis, 639; on contact metamorphic ore deposits, 491; on contact phenomena, 511; on conversion of analyses, 136
Kemp, J. F., and Newland, D. H., on origin of garnet deposits, 499
Kentucky, variations in magnetic declination, 650
Keweenawan rocks, Gunflint district, 153; composition, 155; norm, 155
Killas, 222
Kings saline dome, 374
Kirk, C. T., *Conditions of mineralization in the copper veins at Butte, Montana*, 35–82
Kirkwood oil sand, 578, 579
Kiser's Hill saline, Tex., 368

Klein, C., on transformation of leucite, 678
Klockmann, F., on paragenetic varieties of minerals, 642
Kloos, J. H., on perthite, 157
Knapp, I. N., on anticline controlling saline domes, 375
Knopf and Schaller, on use of term paragenesis, 640
Knopf, Adolph, and Umpleby, J. B., *Recent literature on economic geology*, 303–310, 404–413, 607–615
Knox, H. H., discussion by, 295
Koenen, v., on German salt deposits, 125
Koenigsberger, Johann, *Transformations and chemical reactions in their application to temperature measurements of geological occurrences*, 676–707; on temperature measurements, 539; on transformations for the measurement of geological temperatures, 682
Koenigsberger, J., and Reichenheim, O., on transformation of pyrite, 678
Koenigsberger, J., and Schilling, K., on transformation of silicon, 678
Kolb, R., on changes in quartz, 682
Krecke, F., on the origin of certain Devonian hematites, 193
Krusch, P., on iron deposits, 562; on pneumatolytic-metasomatism, 252; on tin deposits, 265
Kulaite, 701
Kursk, Russia, anomaly in magnetic declination, 651
Kurunegale district, Ceylon, graphite veins, 426
Kynaston, H., and Mellor, E. T., on Transvaal tin pipes, 223
Kyser saline, Texas, 372

Labradorite, fusing point, 3, 4
Lachmann, R., on German salt deposits, 125; on origin of salt deposits, 132; on salt domes, 121
Lacroix, A., on inclusions in volcanic rocks, 689; on magnetite, 642; on origin of cordierite, 166; on the study of minerals, 638; on tridymite in Mont Pelée, 691; on volcanic rocks, 686
Lack of association of the irregularities of the lines of magnetic declination and the petroleum fields, The (Tarr), 647–661
Lahn-Dill iron district, Germany, 192
Lake Superior iron-bearing formation, The effects of a basic igneous intrusion on a (Zapffe), 145–178
Lake Superior iron ores, 507; exploration of, 662
Lake Superior region, geology, 595
Lakes, Arthur, on the Cebolla iron deposit, 561
Lancelot copper-tin vein, Herberton district, Queensland, 270
Laney, F. B., on copper ores of Virgilina district, 75
Lane, A. C., on copper deposits of Michigan, 509
Langhorne, Pa., graphite deposits, 762
La Paz and Dolores ores, genetic relations, 484
La Paz mines, Dolores district, Mexico, 482
Lapparent, A. de, on the formation of sericite, 57
La Salle anticline, 574
Laspeyres, on sericite, 55
Latimer County, Oklahoma, oil and gas prospects, 720
Latite, 291
Lava, calorific capacity, 1; explosion temperature, 1; fusing point, 1; temperature data on, 2; temperature of deformation, 1
Lava flows, Kula Dewlit, 701; measurement of temperature of, 705; Santa Rita district, N. Mex., 552
Lavas, St. Helens district, Washington, 344; temperature during volcanic activity, 13; water in, 13
Lawrence Co., Ill., oil field, 578
Laxapana graphite mine, Ceylon, section, 428
Lead, association with tin deposits, 232; Leadville, Colo., 318; recent literature on, 100, 305, 608, 711
Lead and zinc ores, Ozark region, 508; Wisconsin district, 508
Lead deposits, East Kootenay district, B. C., 351
Lead Hill, New York, graphite deposit, 443
Leadville, Colo., recent developments at, 500
Leadville, Some recent developments at (Butler), 315–323
Leadville fissure vein, 315
Lebachose, analysis, 216
Lebedinzeff, on hydrogen sulphide in water of Black Sea, 740
Le Chatelier, H., on pressure of carbonic acid over calcium carbonate, 699; on transformation of quartz, 678, 682
Lee, M. L., *A geological study of the Elisa mine, Sonora, Mexico*, 324–339

Le Flore County, Oklahoma, oil and gas prospects, 730
Lehmann, O., on influence of chemical grouping on crystal framework, 677
Leith, C. K., *Use of geology in iron ore exploration*, 662–675; on Lake Superior iron ores, 508
Leith, C. K., and Harder, E. C., on circular diagram method of comparing analyses, 142
Lenapah oil pool, Oklahoma, 726
Lenher, Victor, *The transportation and deposition of gold in nature*, 744–750; on solution of gold, 745
Lerch, O., on origin of salt domes, 130
Lerch Bros., analysis by, 153
Leucite, fusing point, 4; transformations, 678
Leucite glass, temperature data on, 2
Lime-silicate gangues, distribution, 492
Limestone, 766; alteration by contact metamorphism, 702; altered, 468; analysis, 335; as locus of replacement ore bodies, 295; containing graphite, 766; metamorphism of, Dolores mine, Mexico, 454; replacement by smithsonite, 530; replacement of, 529
Limonite, association with tin deposits, 232; pseudomorphs after pyrite, 526
Limonite ore containing graphite, 764
Lincoln, F. C., discussion by, 87
Lincoln County, Oklahoma, oil prospects, 729
Lindgren, Waldemar, *The nature of replacement*, 521–535; on anhydrite in Beaver County, Utah, 189; on contact metamorphic deposits, 84; on fidelity of replacement, 531; on formation of kaolin, 63; on metasomatic processes in fissure veins, 289; on replacement, 523; on the genetic classification of minerals, 643
Lindley oil sand, 579
Lines of magnetic declination and the petroleum fields, The lack of association of the irregularities of the (Tarr), 647–661
Liparose, analyses, 217
Literature (*see* Bibliography)
Literature on economic geology, Recent (see Recent literature, etc.)
Lithology, St. Helens district, Washington, 343
Liversidge, A., on solution of gold, 746
Llano-Burnet region, Texas, 593; mineral resources, 403
Location by triangulation, 624
Locke, Augustus, discussion by, 583
Lode fissure, 221
Lode tin, countries where mined, 212
Lodes, normal, tin deposits, 221; pegmatitic, tin deposits, 222
Loewinson-Lessing, definition of paragenesis, 639
Logan sills, 147, 153, 158; mineral composition, 177
Logo, Prof., analyses by, 751
Losee gneiss, 179
Louderback, G. D., on gypsum in Nevada, 189; on Triassic fossils in Nevada, 400; Louemma vein, Leadville, 315
Loughlin, G. F., and Goodspeed, G. E., Jr., *Recent literature on economic geology*, 96–109
Lovelock, Nevada, gypsum deposits, 400
Lucas, A. C., discovery of oil in saline domes, 377
Lucas, A. F., on Five Islands, Louisiana, 368
Ludwig, Nevada, gypsum deposits, 400
Ludwig mine, Lyon County, Nevada, The occurrence and origin of gypsum and anhydrite at the (Rogers), 185–189
Ludwig mine, location, 185; cross-section, 186
Ludwigite, 266
Luxer vein, tin deposits, 265
Luxullianite, 218

Macalister, D. A., on copper-tin veins, 270
McCaughey, W. J., on solution of gold, 744
McClosky sand, 578, 579
MacDonald, D. F., on Big Eight and B. B. ore bodies of Idaho, 361
McFarland, D. F., analysis of iron-ore by, 183
McIlhiney, on solution of gold, 745
McLeansboro formation, Crawford Co., Ill., 576
Magdeburgose, analysis, 216
Magma, alaskite-quartz, 474
Magmas, alaskite quartz, addition of lime, 486; granitic, differentiation in, 233; solidifying, direct measurements of temperature of, 705; temperatures of, 706

Magmatic differentiation, 474; Sierra del Fraile, Mexico, 453
Magnesium sulphate, reduction, 739
Magnetic belts, relation to iron deposits, 664
Magnetic declination and the petroleum fields, The lack of association of the irregularities of the lines of (Tarr), 647–661
Magnetic declination, anomalies, 650
Magnetic declination lines, 1905 and 1910, map of, 647
Magnetic stations, corresponding irregularities in declination, 652; in the United States, 649
Magnetism of rocks, 660
Magnetite, fusing point, 5; in tin deposits, 230; species of, 641, 642; titaniferous, Cebolla district, Colo., 560
Malay Peninsula, tin deposits, 268
Malay States, tin deposits, 212 (table)
Mallard, E., on tridymite, 694
Mallard, E., and Le Chatelier, H., on transformation of boracite, 678
Manganese, Leadville, Colo., 318; recent literature on, 99
Mann, on perthite, 157
Many saline, La., 368
Map, scale of, in planetable work, 624
Mapping, The plane-table in detailed geologic (Ransome), 113–119
Mapping, 779; geologic, planetable method, 502; outfit for, 622
Maps—anticlinal-bulge type of quaquaversal structure, Greene Co., Pa., and Marshall Co., W. Va., 365; distribution of saline domes in Louisiana, 373; distribution of tin deposits, 211; East Kootenay district, B. C., 352; Illinois oil fields, 575; Island of Ceylon, showing graphite mines, 422; magnetic declination lines, 1905 and 1910, 647; Vinton dome, La., surface topography, 368 (*see also* Geologic maps)
Marcasite, experiments on, 16, 20, 21; oxidation, reaction equations, 16
Marshall Co., W. Va., gas field, 365
Mayes County, Oklahoma, oil and gas, 728
Maynard, G. W., analyses of iron ore by, 180
Mead, W. J., *Some geological shortcuts*, 136–144
Meerschaum, recent literature on, 102
Metacryst, 528
Metalliferous deposition a magmatic phase, 488
Metalliferous deposits, recent literature on, 96, 303, 404, 607, 711
Metamorphic minerals, sequence, 457
Meigen, W., on calcite and aragonite, 680
Meionite, fusing point, 5
Melanite, fusing point, 4
Menominee district, iron mines, 667
Mergui district, Burma, tin deposits, 212 (table), 223
Mesabi district, amount of iron ore, 665
Mesabi ferrous silicate, analysis, 162
Mesabi range, iron beds, 663
Mesabi taconite, analysis, 161
Mesa-tuff, 330
Metamorphism, by substitution, 457; Dolores mine, Mexico, 444; in formation of Pennsylvania graphites, 775; methods of, Dolores mine, Mexico, 455; sequence of events in, 466; St. Helens district, Washington, 347; Santa Rita district, N. Mex., 556; types in Cobriza area, 455; types in the Dolores area, 456 (*see also* Contact metamorphism)
Metamorphosing solutions, composition, 466; origin, 473
Metasomatic crystals, 533
Metasomatism, 238, 521
Metasome, 528
Mexico, Conejos, sulphur veins, 734; tin deposits, 212 (table); tin deposits associated with Tertiary rhyolites, 218; Vera Cruz, geothermic gradient, 539
Mica, a primary constituent of granite, 14
Michigan, area of known iron formation, 663, copper deposits, 509; iron ore reserves, 666
Micklucho Maclay, M. von, on cassiterite in granite, 252
Microcline, fusing point, 3
Microphotographs—diabase intruded into quartzite conglomerate, 685; rocks from Elisa mining district, Sonora, Mexico, 335, 336, 338; silver ore, 283, 284, 784 (*see also* Photomicrographs)
Mid-Continent oil field, production, 719
Miers, H. A., on the characters of a mineral, 641
Mihalose, analysis, 217
Miller, B. L., *The geology of the graphite deposits of Pennsylvania*, 762–777

Miller, W. J., *The garnet deposits of Warren County, New York*, 493–501
Mina Mexico vein, Notes on the geology of the (Hynes), 280–286
Mina Mexico vein, geology and petrology, 280–282; location, 280; paragenesis, 285
Mine Hill iron deposits, 180
Mineral deposits in sericite gneiss-sericite schist, 698
Mineral occurrences, classification, 644
Mineral paints, recent literature on, 102
Mineral resources, Llano-Burnett region, Texas, 403
Mineral springs, Cebolla district, Colo., 565
Mineralization in the copper veins at Butte, Montana, Conditions of (Kirk), 35–82
Mineralogical associations in tin deposits, 228, 229
Mineralogy, 203
Mineralogy; an introduction to the theoretical and practical study of minerals (review of), 789
Minerals, The paragenesis of (Rogers), 638–646
Minerals, conductivity, 31; fusing points of, 3; in association with cassiterite, genetic distribution and gradation, 255; origin, 387; paragenesis, university course in, 644; study of, 604; transformations of, 534; types of occurrence, 643
Mineville, N. Y., variation in magnetic declination, 654
Minnesota, area of known iron formation, 663; variations in magnetic declination, 650
Mining engineer, 393
Mining geology, 599
Mississippi lime formation, 720
Mississippi River, lower course determined by syncline, 375
Mississippian rocks, Oklahoma, 720
Mixtures, specific gravity of, 588
Modoc porphyry, 36, 76
Moissan, H., on alteration of pyrite to pyrrhotite, 165; on the origin of graphite, 431
Molybdenite, in tin deposits, 230
Monazite, in tin deposits, 231
Montana, Blue Bird mine, 287
Montana, Butte, Conditions of mineralization in the copper veins at (Kirk), 35–82
Monzonite, 459; intrusive, 450; metamorphism of, 457; Dolores mine, Mexico, 454
Moore, C. J., discussion by, 590
Moore, E. S., *Hydrothermal alteration of granite and the source of vein-quartz at the St. Anthony mine*, 751–761
Morris, D. K., on decline of magnetic permeability in iron, 656
Morris oil pool, Oklahoma, 728
Moses and Parsons, definition of paragenesis, 639
Mound House, Nevada, gypsum deposits, 400
Mt. Bischoff, Tasmania, tin deposits, 212 (table)
Mt. Heemskirk granite, Tasmania, 276
Mount St. Helens, 340
Mt. Zeehan district, Tasmania, stannite ores, 272
Mügge, O., on temperature determinations of geological occurrences, 682
Mühlberg, Max, on temperature measurements, 539
Müller, W. J., on measurement of transformations, 677
Müller, W. J., and Koenigsberger, J., on water a non-mineralizer, 688
Murray and Irvine, on reduction of magnesium sulphate, 740
Muscovite, fusing point, 4; in tin deposits, 230
Muskogee County, Oklahoma, oil fields, 728

Nadson, on hydrogen sulphide in Wiessowo Salt Lake, 740
Natrona Co., Wyo., anticlinal bulge, 366
Natural gas, recent literature on, 103, 307, 406, 611
Natural gas and petroleum fields, classification, 364
Natural gas in Oklahoma, Petroleum and (Gould), 719–731
Natural history of clay (review of), 601
Nature of replacement, The (Lindgren), 521–535
Nebraska, variations in magnetic declination, 651
Negreet saline, La., 368
Nephelite, fusing point, 4
Nevada, mining districts, 602
New data on volcanism, Brun's (Winchell), 1
New England district, New South

Wales, section, 227; deposits, 212 (table), 224
Newland, D. H., on garnet deposits, 499
New Monarch vein, Leadville, 315
New Ross, Nova Scotia, tin-bearing pegmatite, 218
New South Wales, granite and greisen, analyses, 241; greisen, 235; pipes (tin deposits), 222; tin deposits, 212 (table), 224
News, Scientific notes and (*see* Scientific notes and news)
Nigeria, tin deposits, 212 (table)
Nigerian tin; its occurrence and origin (Falconer), 542–546
Noble County, Oklahoma, oil prospects, 728
Non-metallic products, recent literature on, 100, 306, 406, 609, 713
North Carolina, tin deposits, 212 (table), 265
Notes and news, Scientific (*see* Scientific notes and news)
Notes on the Blue Bird mine (Winchell and Winchell), 287–294
Notes on the geology of the Mina Mexico vein (Hynes), 280–286
Nova Scotia, tin deposits, 212 (table)
Nowata County, Oklahoma, oil pools, 726

Oakland City oil sand, 579
Ober Graupen, Bohemia, tin deposits, 265
Oberstritten, temperature measurements, 536
Obsidian, temperature data on, 2
Occurrence and origin of gypsum and anhydrite at the Ludwig mine, Lyon County, Nevada, The (Rogers), 185–189
Occurrence of oil and gas deposits associated with quaquaversal structure, The (Clapp), 364–381
Ochsenius, C., on the source of sulphur, 739
Oglesby oil pool, Oklahoma, 726
Oil, in the Red beds, Oklahoma, 723; production of Spindle Top, 371; prospecting for, need of theory of differential cementing, 708; recent literature on, 103, 307, 406, 611; sedimentary deposition of, 91; seepages in Gulf Coastal Plain, Mexico, 380
Oil and gas deposits associated with quaquaversal structure, The occurrence of (Clapp), 364–381
Oil and gas, surface indications in Gulf Coastal Plain, 377
Oil fields of Crawford and Lawrence counties, Illinois, The structural relations of the (Blatchley), 574–582
Oil fields, correspondence with saline domes, 370; essential structural features, 380; Illinois, map of, 575; Lawrence Co., Ill., 578; Oklahoma, future prospects, 730; Vera Cruz and Tamaulipas, Mexico, 378; volcanic neck type of structure, 377
Oil pools, Gulf of Mexico, 374
Oil regions, Temperature in (Höfer), 536–541
Okfuskee County, Oklahoma, oil prospects, 729
Oklahoma, areas of possible oil or gas fields, 724; areas not likely to produce oil or gas, 724
Oklahoma, Petroleum and natural gas in (Gould), 719–731
Okmulgee County, Oklahoma, oil fields, 727
Okmulgee oil pool, Oklahoma, 727
Oligoclase, fusing point, 3
Omelianski, W., on the development of hydrogen sulphide, 739
Omeose, analysis, 216
Ontario, adjacent to Lake Superior, area of known iron formation, 663; iron ores, explorations of, 670
Ore bodies, outcrop of, 512; relations to wall rocks, 69; replacement, 195
Ore deposition, a magmatic phase, 487; Dolores mine, Mexico, 477; literature on, 108
Ore deposition, Theory of (Spurr), 485–492
Ore deposits, Cebolla district, Colo., 566; East Kootenay district, B. C., 352, 353; Elisa mine, Sonora, Mexico, 337; occurrence, Leadville district, Colo., 317; types of, 507
Ore formation, chronologic order, Santa Rita district, N. Mex., 554
Ore shoots, causes of, 512
Ore-zones, definition, 489
Origin—anhydrite, 189; anhydrite at Ludwig mine, Lyon County, Nevada, 400; copper deposits, Coro-Coro, Bolivia, 592; copper ores of Butte, Mont., 75, 78; chalcocite, 75; garnets, 498; graphite, Pennsylvania, 771, 774; graphite veins, Ceylon, 430; heat in Comstock lode, 585; iron ores, 191; Adirondacks, 181; Lahn-Dill district, Germany, 193; Japanese sulphur de-

posits, 733; metamorphosing solutions, 473; ores at Leadville, Colo., 320–322; pegmatites in graphite deposits, Pa., 771; salt deposits, Germany, 124; salt domes, 129, 376; solutions producing contact metamorphism, 485; sulphide replacement ores, Leadville, Colo., 322; tin deposits, Bolivia, 275; Nigeria, 544; titaniferous magnetite, Cebolla district, Colo., 569–572; turquoise deposits, Burro Mountains, N. Mex., 388
Origin of gypsum and anhydrite at the Ludwig mine, Lyon County, Nevada, The occurrence and (Rogers), 185–189
Origin of sulphur deposits, The (Stutzer), 732–743
Origin of the silver-lead deposits of East Kootenay, British Columbia, The (Schofield), 351–363
Origin of turquoise in the Burro Mountains, New Mexico, The (Paige), 382–392
Orthoclase, fusing point, 3; in tin deposits, 230
Orthoclase glass, temperature data on, 2
Orton, E., on absence of petroleum in Archean rocks, 660
Oruro tin deposits, Bolivia, 274
Osage County, Oklahoma, oil fields, 727
Osann, A., on conversion tables, 136
Ostwald, W., on monotropic polymorphism, 680
Ouachita Mountains, Oklahoma, 721
Otontepec mountains, Vera Cruz, Mexico, 380
Outcrop of ore bodies, 512
Oven mountain, garnet mine, 496
Oxidation of sulphides (Gottschalk and Buehler), 15–34
Ozark region, lead and zinc ores, 508
Ozark uplift, Oklahoma, 720

Pacing, in planetable mapping, 630
Paige, Sidney, *The geologic and structural relations at Santa Rita (Chino), New Mexico*, 547–559; *The origin of turquoise in the Burro Mountains, New Mexico*, 382–392; discussion by, 593; review of book by, 403
Palache, Charles, on use of term paragenesis, 630
Palestine saline, Tex., 368
Palladium, fusing point, 5
Pantellerose, analysis, 217
Paper, for field sketching, 622
Paragenesis, andesite of Strombolicchio, 693; definitions, 639, 640; different uses of term, 638, 640; Mina Mexico vein, 285; of minerals, Elisa mining district, Sonora, Mexico, 337; of ores, East Kootenay district, B. C., 354, 358; university course in, 644
Paragenesis of minerals, The (Rogers), 638–646
Paragenetic varieties, 641
Paragonite, 757
Parker garnet mine, 494
Parsons, James, on graphite deposits of Ceylon, 433
Pawnee County, Oklahoma, oil fields, 727
Payne County, Oklahoma, oil prospects, 728
Pearce, R., on wurtzite at Butte, 71
Peculiar hematite ore on the tract of the Durham mine, Durham, Penna. (Bayley), 179–184
Phillips pyrites mine, Peekskill, N. Y., 231, 235
Pegmatite, tin-bearing, 218
Pegmatitic tin deposits, 264
Pegmatitic tin lodes, 222
Pegmatites containing graphite, 771
Pelton, E. F., and Irwin, D. D., *The plane-table in geologic mapping*, 778–783
Pencils, for field mapping, 623
Pennsylvania graphite mine, 768
Pennsylvanian rocks, Lawrence Co., Ill., 578; Oklahoma, 721
Pennsylvanian series, Crawford Co., Ill., 576
Penn Yan property, Montana, 287
Penokee-Gogebic ferrous carbonate, 162
Penokee-Gogebic ferruginous chert, 161
Penrose, R. A. F., Jr., on some causes of ore shoots, 512
Perak tin deposits, 268
Perlite, temperature data on, 2
Permian rocks, Oklahoma, 720
Permic salt deposits, Germany, 123
Perryman oil pool, Oklahoma, 727
Perthite, 156; analyses, 157
Petite Anse saline, Avery's Island, La., 368
Petrolia oil field, Texas, 723
Petroleum (*see also* Oil)
Petroleum and natural gas fields, classification, 364

Petroleum and natural gas in Oklahoma (Gould), 719–731
Petroleum fields, The lack of association of the irregularities of the lines of magnetic declination and the (Tarr), 647–661
Pettinos Bros., exporters of graphite, 421
Phalen, W. C., *The origin of sulphur deposits* (translation from Stutzer), 732–743
Phenacite, in tin deposits, 231
Phillips, A. H., review of work by, 789
Phosphates, recent literature on, 104, 307, 406, 611
Photomicrographs—biotite, 43; chalcopyrite veinlet through garnet, 332; pyrite in biotite, 47; tourmaline-bearing ore, Blue Bird mine, Montana, 293 (*see also* Microphotographs)
Pickering gneiss, 767, 768; origin, 773
Pickering Valley, Pa., graphite mines, 763
Pillow-lava from the Kiruna district (review of), 710
Pine Prairie oil field, Louisiana, 371
Pipervaut and Vila, on sulphidation of iron, 49
Pipes, tin deposits, 222
Pitkäranta, Finland, tin deposits, 212 (table), 267
Pittsburg County, Oklahoma, oil and gas prospects, 730
Pittsmont mine, structure of rocks in, 65
Plan of graphite mine, Dillon, Mont., 437
Plane-table, construction, 779; description, 622
Plane-table in detailed geologic mapping, The (Ransome), 113–119
Planetable in detailed geologic mapping (discussion), 502
Plane-table in geologic mapping, The (Pelton and Irwin), 778–783
Plane-table board, construction, 114; directions for use, 117
Planetable mapping, method of procedure, 625; outfit, 622
Planetable methods as adapted to geologic mapping (Wegemann), 621–637
Planetable needles, 623
Platinum, 491; fusing point, 5; recent literature on, 406; Ural Mountains, 202
Plumbago (*see* Graphite)
Pneumatolytic-metasomatism, 252
Pochuck gneiss, 179
Polymorphism, 676, 677
Ponca City oil pool, Oklahoma, 728
Pontotoc County, Oklahoma, oil prospects, 729
Popular guide to minerals (review of), 790
Porosity, in rocks, 532; of kaolinized granite, 63
Porphyry, 559
Portugal, tin deposits, 212 (table)
Posepny, F., on salt mines of Transylvania, 128
Potosi tin deposits, Bolivia, 274
Potosi type of tin ores, 274
Pottawatomie County, Oklahoma, oil prospects, 729
Pottsville formation, Crawford Co., Ill., 576
Powder River dome, Wyo., 366
Prairie Mamou saline, Jennings oil field, La., 368
Pre-Cambrian rocks, 752; India, 425
Precious stones, recent literature on, 103
Precipitation, iron sulphides by carbon, 768
Pressure and temperature, relation to replacement, 200
Price's saline, La., 368
Propylitization, definition, 61; of Butte granite, 67
Propylitization and weathering contrasted, 67
Protogene, 755, 756
Protractor, for field mapping, 623
Pseudomorphs, 521, 526
Puerticitos limestone, 327
Purcell range, British Columbia, 351
Purcell series, 351
Pumice, 345; temperature data on, 2
Pyrite, 283–285, 335; cupriferous, 463; experiments on, 16, 20, 24, 31; in ferro-magnesian minerals, 47; in Gunflint formation, 164; in tin deposits, 230; oxidation, reaction equations, 16; replacement by chalcocite, 54; replacing silicious rock, 709; transformations, 678
Pyrite deposition, Dolores mine, Mexico, 478
Pyrite pseudomorph after muscovite, 357
Pyritization of iron-bearing minerals, 46
Pyrope, fusing point, 4
Pyroxene, 457, 461
Pyroxenite, intrusive in gneiss, Ella, Ceylon, 426

Pyrrhotite, in tin deposits, 230
Pyrrhotite deposition, Dolores mine, Mexico, 478

Quaquaversal structure, The occurrence of oil and gas deposits associated with (Clapp), 364–381
Quartz, 283–285, 385, 463; as a geologic thermometer, 684; fusing point, 5; in pegmatite masses, temperature of formation, 683; in tin deposits, 230; range of stability, 688; temperature of crystallization, 684; transformation to cristobalite, 690; transformation to tridymite, 690; transformations, 678; transformations of, as a geologic thermometer, 682
Quartz-cristobalite-tridymite as a geologic thermometer, 684
Quartz inclusion in augite andesite, 693
Quartz-monzonite, 453
Quartz monzonite porphyry, 557
Quartz-porphyries, order of crystallization, 687
Quartz porphyry, analyses, 217
Quartz-veins in granite, St. Anthony mine, 754
Quartzite, Santa Rita district, N. Mex., 547
Quartzite pebbles in diabase flow, 685
Queensland, tin deposits, 212 (table)
Quensel, P., on forms of quartz, 684

Ramsey oil pool, Oklahoma, 726
Ramona oil pool, Oklahoma, 726
Ransome, F. L., *The plane-table in detailed geologic mapping*, 113–119; on ore deposits of Granite mine, Coeur d'Alene, 359; on origin of chalcocite, 75; on the Tiger-Poorman lode, Idaho, 361; on the Wardner mines, Idaho, 361; on the Yerington district, 401
Rapikiwi granite, Finland, 214
Rapikiwi granite batholith, Finland, section, 226
Rappakiwi granite, 267
Rare earths, recent literature on, 308
Rare metals, recent literature on, 100
Rattlesnake Hill iron deposits, 180
Recent developments at Leadville, Some (Butler), 315–323
Recent literature on economic geology (Loughlin and Goodspeed), 96; (Knopf and Umpleby), 303, 404, 607; (Umpleby), 711
Recrystallization by replacement, 528; in Gunflint iron-bearing formation, 172
Red beds, Oklahoma, 720
Red beds area, Oklahoma, 722
Red Fork oil pool, Oklahoma, 727
Redruth district, Cornwall, erosion of tin deposits, 225
Regional reports, 106, 309, 612, 714
Rehfuss, I. L., review by, 710
Reid, H. F., review by, 301
Relations of tin deposits, Some genetic (Singewald), 263–279
Replacement, by volume, requirements of, 531; classes of, 525; in free space, 525; in rigid rocks, 527; in rocks, 197; of silicious rock by pyrite, 709; without change of volume, 529
Replacement, The nature of (Lindgren) 521–535
Replacement deposits, East Kootenay district, B. C., 353, 357; Leadville, Colo., 319
Replacement ore bodies, 195, 511; criteria for, 295; Leadville, Colo., 323
Reviews—
Dana's Manual of Mineralogy (Ford), Schaller, 788
Development of the world's iron resources (Selwyn-Brown), 299
Examination of prospects; a mining geology (Gunther), Bastin, 599
Formation of coal beds (Stevenson), White, 89
Geology of the Lake Superior region (Van Hise and Leith), Kemp, 595
Graphical solution of fault problems (Tolman), Reid, 301
Introduction to the study of minerals (Rogers), Hunst, 604
Iron mines and mining in New Jersey (Bayley), Steidtman, 204
Mineral resources of the Llano-Burnett region, Texas (Paige), Steidtmann, 403
Mineralogy (Hatch), Schaller, 203
Mineralogy: an introduction to the theoretical and practical study of minerals (Phillips), Schaller, 789
Natural history of clay (Searle), Shaw, 601
Pillow-lava from the Kiruna district (Sundius), Rehfuss, 710
Le Platine et les gites platini-

fères de l'Oural (Duparc), Bastin, 202
Popular guide to minerals (Gratacap), Schaller, 790
Reconnaissance of the Jarbidge, Contact and Elk Mountain mining districts, Nevada (Schrader), Schrader, 602
Rock minerals—their chemical and physical characters and their determination in thin sections (Iddings), Bayley, 90
Sedimentary deposition of oil (Stuart), White, 91
Types of ore deposits (edited by Bain), Siebenthal, 512
Rexford garnet mine, 494, 496
Reyburn's saline, La., 368
Rickard, T. A., on saddle-reef structure, 510; on solution of gold, 745
Riesenfeld, E. H., on pressure of carbonic acid over calcium carbonate, 699
Rinne, F., definition of paragenesis, 639; on changes in quartz, 682; on transformation of boracite, 678
Robinson oil sand, 576
Rock analyses, conversion into terms of minerals, 136
Rock glass, temperature data on, 2
Rock salt, German deposits, 123
Rocks, active, behavior, 12; associated with graphite deposits, 423; dead, behavior, 12; igneous, depth of origin, 658; invaded by tin deposits, 219; magnetism of, 660; metamorphism of, 454; openings in, 465; replaced, structure of, 528; texture, preservation in replacement, 531; volcanic gases in, 6–10
Rogers, A. F., *The occurrence and origin of gypsum and anhydrite at the Ludwig mine, Lyon County, Nevada*, 185–189; *The paragenesis of minerals*, 638–646; review of book by, 604; on anhydrite from salt mines of Kansas, 189; on gypsum and anhydrite at the Ludwig mine, 400; on use of term paragenesis, 640
Rogers County, Oklahoma, oil and gas fields, 726
Rogers garnet mines, 493, 494
Rolfsbuettel salt dome, Brunswick, section, 127
Rooberg tin deposits, 224
Rosenbusch, H., on minerals in rhyolite, 218
Ross-shire, Scotland, tin deposit, 212 (table), 223
Rucker, A. W., on influence of basalt sheets on magnetic needle, 659; on magnetic disturbance in England, 652
Rumbold, W. R., on minerals in Bolivian ore deposits, 272, 274
Rundhorste, 125
Russia, Apscheron, geothermic gradient, 539; Berekei, geothermic gradient, 539; Kursk, anomaly in magnetic declination, 651
Rutile, 697

Sabine uplift, Louisiana-Texas, 374
Saddle-reef structure, 510
Sageyah oil pool, Oklahoma, 726
St. Anthony mine, Hydrothermal alteration of granite and the source of vein-quartz at the (Moore), 751–761
St. Eugene mine, East Kootenay, B. C., 356
Ste. Genevieve limestone, 578, 579
St. Helens mining district, location, 340; physiography and topography, 341
St. Helens mining district of Washington, The geology of the (Zapffe), 340–350
St. Lawrence Co., Ill., sections of wells, pl. 4
St. Louis limestone, 578
Sales, R. H., copper deposits of Butte, Mont., 35
Salomon, W., on limestone pebbles in magmas, 703
Saline dome type of quaquaversal structure, 367
Saline domes, correspondence with oil fields, 370; distribution, 372; geological structure, 368; surface topography, 367
Salines, Louisiana and Texas, 368; recent literature on, 104, 308, 406, 612
Salt, in saline domes, 370
Salt Creek oil pool, Oklahoma, 728
Salt deposits, modes of occurrence, 120
Salt deposits, The form of (Hahn), 120–135
Salt domes, origin, 376; structure, 122
San Felipe beds, Mexico, 379
Sanders Brothers garnet mine, 494, 497
Sandstone containing graphite, 764
Sanidine, fusing point, 3

Santa Rita (*Chino*), *New Mexico, The geologic and structural relations at* (Paige), 547–559
Santa Rita district, N. Mex., geologic map, 555
Saratoga saline dome, Texas, 368, 371
Satsuma Province, tin deposits, 212 (table)
Scale, for field mapping, 623
Schaller, W. T., reviews by, 203, 788, 789, 790
Scheelite, in tin deposits, 230
Schist, in Santa Rita district, N. Mex., 548
Schists, replacement ore bodies in, 296
Schofield, S. J., *The origin of the silver-lead deposits of East Kootenay, British Columbia,* 351–363
Schrader, F. C., review by, 602; review of work by, 602
Scientific notes and news, 110, 206, 311, 414, 513, 616, 715, 791
Schmidt, C., on replacement by sericite, 57
Schmierer, Th., on origin of salt deposits, 131
Scotland, Ross-shire, tin deposit, 223
Scrivenor, J. B., on origin of tin deposits, 254
Scums of oil, Gulf of Mexico, 374
Schwarzenberg, Saxony, tin deposits, 267
Searle, A. B., review of book by, 601
Secondary enrichment, Elisa mine, Sonora, Mexico, 337; of copper veins, effect of calcite gangue on, 785
Sedimentary deposition of oil, 91
Sections—Elisa mine, Sonora, Mexico, 324; Elisa mining district, Sonora, Mexico, 325; German salt domes, 126–128; La Salle anticline, pl. 3; Laxapana graphite mine, Ceylon, 428; Louemma shaft, Leadville, Colo., 317; Ludwig mine, Nevada, 186; Sierra del Fraile mountain, S. L. P., Mexico, 448, 450; Spindle Top oil field, Texas, 369; tin deposits, 226–227; volcanic neck in oil fields of Vera Cruz and Tamaulipas, Mexico, 378; wells, St. Lawrence Co., Ill., pl. 4
Secular change of declination, 655
Seepages of oil, Gulf Coastal Plain, Mexico, 380
Segregations, tin deposits, 223
Seisholtzville, Pa., iron deposits, 765
Selwyn-Brown, Arthur, review of paper by, 299
Seminole County, Oklahoma, oil prospects, 729
Senarmont, on pyritization, 47
Sequoyah County, Oklahoma, oil and gas prospects, 730
Sericite, 386, 756; in Butte granite, 39, 44; occurrence and significance, 55; replacement by, 53
Sericitic phase of Butte granite, 52
Sericitization, 387; chemical features, 59
Serpentine, 549
Serpentine iron ores, Cuba, 672
Shallow oil field, Oklahoma, 726
Sharwood, W. J., discussion by, 588
Shasta County, California, replacement deposits in alaskite, 296
Shaw, E. W., review by, 601
Shimer, P. W., analysis of iron ore by, 180, 182
Short-cuts, Some geological (Mead), 136–144
Siam, tin deposits, 212 (table)
Sicily, sulphur deposits, 735
Siebenthal, C. E., review by, 512
Sierra del Fraile mountain, Mexico, 446, 447
Silicates, chemistry of, 690; hydrous, 475
Silicon, transformations, 678
Silver, association with tin deposits, 232; fusing point, 5; La Paz mines, Mexico, 482; Leadville, Colo., 318; peculiar occurrence, 783; recent literature on, 96, 303, 404, 608, 711
Silver deposits, Mina Mexico, Sonora, 282
Silver-lead deposits of East Kootenay, British Columbia, The origin of the (Schofield), 351–363
Silver ore, Blue Bird mine, 287; microphotographs, 283, 284
Silver Spoon mine, Leadville, Colo., 316, 320
Simpson, J. F., on use of term paragenesis, 639
Singewald, J. T., Jr., *The iron ore deposits of the Cebolla district, Gunnison County, Colorado,* 560–573; *Some genetic relations of tin deposits,* 263–279; discussion by, 191
Skey, on solution of gold, 746
Skiatook oil pool, Oklahoma, 727
Slate 292
Smith, J. A., fissure theory, 321; on origin of ores at Leadville, Colo., 320

Smith, D. T., on Triassic fossils in Nevada, 400
Smith, H. D., geological work by, 447
Smith, H. L., on magnetic declination, 653
Smith, W. S. T., discussion by, 297
Smithsonite, pseudomorphs after calcite, 526; replacing limestone, 530
Smyth, C. H., Jr., on Clinton iron ores, 507; on hematite ores, 181
Sodalite, fusing point, 5
Solfara Grande di Sommatino Mine, Sicily, bedded sulphur-bearing rocks, 736
Solidifying magmas, direct measurements of temperature of, 705
Solutions, producing contact metamorphism, origin, 485; rôle in ore deposition, 744
Some genetic relations of tin deposits (Singewald), 263–279
Some geological short-cuts (Mead), 136–144
Some recent developments at Leadville (Butler), 315–323
Sour Lake saline dome, Texas, 368, 371
Source of vein-quartz at the St. Anthony mine, Hydrothermal alteration of granite and the (Moore), 751–761
South Carolina, tin deposits, 212 (table), 265
South Islands, Louisiana, 368
Spain, tin deposits, 212 (table)
Sparta oil sand, 579
Specific gravity of mixtures, 588
Sperrylite, 491
Sphalerite, experiment on, 20, 21; in tin deposits, 230
Spindle Top, description, 371; production of oil, 371
Spindle Top saline, Tex., 368, 374
Spinel, fusing point, 5
Spodumene, 265; fusing point, 5; in tin deposits, 231
Spokane, Washington, tin deposits, 212 (table)
Spurr, J. E., *Theory of ore deposition*, 485–492; work on Dolores mine, Mexico, 446
Spurr, J. E., Garrey, G. H., and Fenner, C. N., *Study of a contact metamorphic ore-deposit; the Dolores mine, at Matehuala, S. L. P., Mexico*, 444–484
Squirrel oil pool, Oklahoma, 726
Stadia, in plane-table work, 780
Stadia traverse, 636
Stahl, on solution of gold, 746
Stannite, 228, 271; in tin deposits, 230
Stannite ores, Zeehan field, Tasmania, 277
Stannite veins, 271
Stanthorpe, Queensland, tin deposits, 212 (table)
Stassfurt rock salt deposits, 123
Statistical reports, recent, 713
Steen's saline, Tex., 368
Steidtman, Edward, reviews by, 204, 403; on alteration of rocks, 757; on circular diagram method of comparing analyses, 142
Steinman, G., on Bolivian tin deposits, 273
Stein's saline dome, 374
Stelzner, A. W., on gold-bearing copper veins of Chili, 271; on Bolivian ore deposits, 272
Stetefeldt, on lixiviation of silver ores, 747
Structure of replaced rocks, 528
Stevens, Blamey, discussion by, 195
Stevenson, J. J., review of paper by, 89
Stewart, C. A., and Welsh, T. W. B., discussion by, 785
Stille, H., on German salt domes, 126; on salt domes, 121, 130
Stiver's saline, Tex., 368
Stockworks, tin deposits, 222
Stokes, H. N., on oxidation of sulphides, 17; on the solubility of gold, 744
Stoniker, G. A., on mining and marketing of graphite, 433
Straight line method of comparing analyses of fresh and altered rocks, 141; example, 142
Straits (Malay States), tin production, 212
Strauss, L. W., discussion by, 592
Stromboli, rocks of, 691
Strombolicchio, at Stromboli, Sicily, rocks of, 691
Structural materials, recent literature on, 104
Structural relations at Santa Rita (Chino), New Mexico, The geologic and (Paige), 547–559
Structural relations of the oil fields of Crawford and Lawrence counties, Illinois, The (Blatchley), 574–582
Structure, St. Helens district, Washington, 345; saline domes, 368
Stuart, Murray, review of paper by, 91
Study of a contact metamorphic ore

deposit; the Dolores mine, at Matehuala, S. L. P., Mexico (Spurr, Garrey, and Fenner), 444–484
Study of minerals, introduction to, 604
Study of the Elisa mine, Sonora, Mexico, A geological (Lee), 324–339
Sturgeon Lake gold field, Ontario, 751
Sturgeon Lake granite, 752
Stutzer, O., *The origin of sulphur deposits*, 732–743
Success mine, Coeur d'Alene, Idaho, 359
Sullivan, E. C., on interaction of minerals, 64; on interactions between minerals and water solutions, 82
Sullivan mine, East Kootenay district, B. C., 352
Sully, J. M., on geology of Santa Rita district, N. Mex., 550
Sulphidation of femic minerals, 50
Sulphide replacement ores, Leadville, Colo., origin, 322
Sulphide veins, 264
Sulphides, solubility, 34
Sulphides, oxidation of (Gottschalk and Buehler), 15–34
Sulphur, associated with volcanic activity, 732; at Sulphur, La., 372; circulation of, 742; formation in solfataras, 732; fusing point, 5; in Gunflint iron formation, 163; reaction for production from hydrogen sulphide, 733; recent literature on, 105; stratified deposits, 735; transformation, 678
Sulphur, La., oil and sulphur field, 371
Sulphur bacteria, 739, 741, 742
Sulphur deposits, form, 734; geologic age, 733; Japanese, origin, 733; sedimentary origin, 733, 735; Sicily, 735
Sulphur deposits, The origin of (Stutzer), 732–743
Sulphur saline, La., 368
Sulphur springs, Gik-Salgan, Caucasus, 734
Sumatra, tin deposits, 212 (table)
Sundius, N., review of paper by, 710
Svartdal veins, Thelemark district, Norway, 271
Swazieland, pegmatitic tin lode, 222; tin deposits, 212 (table)
Swosozowice, Galicia, bedded sulphur deposit, 736
Syenite, 493
Tables—analyses of granite and greisen, Grainsgill, 244; granite and greisen, New South Wales, 241; granites and quartz-porphyries from tin-producing regions, 216; chronologic relation of ore formation, Santa Rita district, N. Mex., 554; Erzgebirge granite and greisen, 237; for conversion of analyses, 138; magnetic stations in the United States, territory covered by, 649; mineral composition of rocks of Gunflint district, 175; mineralogical associations in tin deposits, 229; mineralogical composition of matrix of garnet-bearing rock, 501; relations between ore deposits of East Kootenay and Coeur d'Alenes, 363; fixed temperature points and calorific capacity of lavas, etc., 2; tin deposits, genetic phases, 278; tin districts of world, 212
Tally register, 630
Tamaha oil pool, Oklahoma, 727
Tamasopo limestone, Mexico, 378
Tamaulipas oil field, section of volcanic neck, 378
Taniyama tin mine, Satsuma province, Japan, 219
Tarr, W. A., *The lack of association of the irregularities of the lines of magnetic declination and the petroleum fields*, 647–661
Tantalite, in tin deposits, 231
Tantima mountains, Vera Cruz, Mexico, 380
Tasmania, tin deposits, 212 (table), 276; tourmalinization, 235
Tavoy, Burma, tin deposits, 212 (table)
Teaching of economic geology, 297, 393
Tehamose, analyses, 216
Temescal, California, tin deposits, 212 (table)
Temperature and pressure, relation to replacement, 200
Temperature in oil regions (Höfer), 536–541
Temperature measurements in wells, 537
Temperature measurements of geological occurrences, Transformations and chemical reactions in their application to (Koenigsberger), 676–707
Temperature of solidifying magmas, direct measurements of, 705
Temperatures, Comstock lode, 583

Tennessee, variations in magnetic declination, 651
Tenorite, 317
Tertiary rocks, Oklahoma, 720
Tetrahedrite, 283–285
Texas, tin deposits, 212 (table)
Texture, of replaced rocks, 528; of rocks, preservation in replacement, 531
Thelemark district, Norway, copper-tin veins, 271
Thenardite, fusing point, 5
Theory of ore deposition (Spurr), 485–492
Thionic acid bacteria, 743
Tiger Flats oil pool, Oklahoma, 728
Tiger-Poorman lode, Idaho, 361
Tin, associated with Tertiary rhyolites, 218; association with granitic intrusives, 213; production, 212; recent literature on, 305, 608; ultimate source, 251
Tin, Nigerian; its occurrence and origin (Falconer), 542–546
Tin-bearing granite intrusion, ideal section, 227
Tin deposits, age, 213; associated rocks, 213; bibliography, 257; Bolivia, 273; Cornwall, 269; distribution, map, 211; erosion, relation to deposits, 224; formation of, 251; forms of deposits, 220; genetic relationships, 278; lodes, normal, 221; Mergui district, Burma, 223; mineralogical associations of the ores, 228; ore bodies, relations to intrusives, 223; pipes, 222; Tasmania, 276
Tin deposits, geologic features of (Ferguson and Bateman), 209–262
Tin deposits, Some genetic relations of (Singewald), 263–279
Tin districts of the world, 212 (table)
Tin veins, 263; gradation into tourmaline-bearing copper formation, 269
Titaniferous magnetite, Cebolla district, Colo., 560; view of, 566
Titanite, fusing point, 5
Titanium, transformation, 678
Titanium dioxide, Alps, 697
Tolman, C. F., Jr., discussion by, 393; review of work by, 301
Topaz, 235, 544; in tin deposits, 230
Topographic sketching, 633
Tornquist, A., on origin of salt deposits, 130
Tourmaline, 235, 289, 343; in tin deposits, 230
Tourmaline-bearing ore, Blue Bird mine, Montana, 289
Tourmalinization, 235
Tracey oil sand, 578
Transbaikal, tin deposits, 212 (table)
Transformation, latent heat of, 683
Transformations and chemical reactions in their application to temperature measurements of geological occurrences (Koenigsberger), 676–707
Transformations of minerals, 534
Tras-os-Montes, Portugal, tin deposits, 212 (table)
Transportation and deposition of gold in nature, The (Lenher), 744–750
Transvaal, pipes (in deposits), 222; tin deposits, 212 (table)
Treadwell mines, Alaska, 510
Tremolite, fusing point, 3
Trevose, Pa., graphite deposits, 762
Triassic fossils, Lyon County, Nevada, 400
Tribune formation, 578
Tridymite, 681, 684, 694, 696; crystallization of, 690; transformation into quartz, 688
Tridymite and cristobalite, association, 696
Tridymite druses in andesite, 695
Triplite, in tin deposits, 231
Trueman, J. D., on zircon, 294
Tschermak, G., on genera and species of minerals, 641; on the term paragenesis, 640
Tuff, analysis, 329
Tulsa County, Oklahoma, oil fields, 727
Tungsten, association with tin, 277; recent literature on, 712
Turner, H. W., discussion by, 709
Turquoise, Burro Mountains, N. Mex., occurrence, mineralogic, and chemical relations, 384
Turquoise deposits, Burro Mountains, N. Mex., origin, 390
Turquoise in the Burro Mountains, New Mexico, The origin of (Paige), 382–392
Twelvetrees, W. H., and Ward, L. K., on the ore bodies of the Zeehan field, Tasmania, 275
Types of mineral deposits, 643; ore deposits (review of), 507; Potosi tin-silver deposits, 272

Ullmannite, experiments on, 33
Umpleby, J. B., *Recent literature on economic geology*, 711–714

Umpleby, J. B., and Knopf, Adolph, *Recent literature on economic geology*, 303–310, 404–413, 607–615
Unconformities, Santa Rita district, N. Mex., 552
Ural Mountains, replacement ore bodies in schists, 296
Uraninite, in tin deposits, 231
Use of geology in iron ore exploration (Leith), 662–675

Van Hise, C. R., on alteration of muscovite, 56; on changes in volume in alteration, 523; on formation of magnetite, 168; on replacement of lime by magnesia, 195
Van Hise, C. R., and Leith, C. K., review of book by, 595; on the Cebolla iron deposit, 561
Veatch, A. C., on distribution of salt domes, 374
Vegetable Creek district, New South Wales, pegmatitic tin lode, 222
Vein-deposits of graphite near Dillon, Montana, 435
Vein formation, 263
Vein-quartz at the St. Anthony mine, Hydrothermal alteration of granite and the source of (Moore), 751–761
Vein type, 263
Veins, Blue Bird mine, Montana, 288; graphite deposits, Ceylon, 426; Mina Mexico, Sonora, 281
Veins, copper, at Butte, Montana, Conditions of mineralization in the (Kirk), 35–82
Veins of Butte district, classification and relations to wall rocks, 69
Vera Cruz, Pa., graphite mine, 763
Vera Cruz oil field, section of volcanic neck, 378
Vermilion district, amount of iron ore, 665
Vesuvianite, 460; fusing point, 5
Ville, on salt domes in Algeria, 129
Vinton saline, La., 368
Vivianite, 389
Vogt, J. H. L., on alteration of rocks, 68; on copper-tin deposits, Thelemark district, Norway, 271; on greisenization, 236; on magmatic differentiation, 251; on Norwegian nickel ores, 84; on propylitization, 61; on tin deposits, 265
Volcanic activity, Vera Cruz, Mexico, 380
Volcanic ash, 345
Volcanic ashes, color, 12
Volcanic gases in rocks, 6–10
Volcanic necks, distribution in Gulf Coastal Plain, Mexico, 379
Volcanic theory of origin of salt domes, 129
Volcanism, Brun's new data on (Winchell), 1
Vom Rath, C., on discovery of tridymite and cristobalite, 694

Wagoner County, Oklahoma, oil fields, 728
Wainwright, D. B., on planetable adjustment, 629
Walker, James, on replacement of metals, 58
Wall rocks, relations to ore bodies, 69
Walther, J., on graphite deposits of Ceylon, 433; on the origin of graphite, 431
Wann oil pool, Oklahoma, 726
Wardner mines, Idaho, 761
Warren County, New York, The garnet deposits of (Miller), 493–501
Washburne, C. W. (translator), *Temperature in oil regions*, 536–541; on the accumulation of petroleum, 660
Washington, St. Helens district, 340; tin deposits, 212 (table)
Washington anticline gas field, Greene Co., Pa., 366
Washington County, Oklahoma, oil pools, 726
Water, absence in volcanic activity, 12; from Steamboat Springs, Nevada, analysis, 587; in magmas, 14; not a mineralizer or catalyzer, 688
Water resources, recent literature on, 105, 409, 612
Wavellite, 389
Weathering, belt of, relimitation, 69
Weathering and propylitization contrasted, 67
Webber oil pool, Oklahoma, 726
Weed, W. H., on analyses of granite, 41; on copper ores at Butte, Mont., 74; on occurrence of sericite, 56
Wegemann, C. H., *Planetable methods as adapted to geologic mapping*, 621–637; on Powder River dome, 366
Weinschenk, E., on the origin of graphite, 431
Wells, R. C., on oxidation of sulphides, 15
Wells, St. Lawrence Co., Ill., sections, pl. 4

Welsh, T. W. B., and Stewart, C. A., discussion by, 785
Welsh oil field, Louisiana, 371
Welsh saline, La., 368
Werra type of salt deposits, 124
Werveke, L. van, on temperature measurements in Elsass oil fields, 538
West Australia, tin deposits, 212 (table)
Westland, Washington Co., Pa., anticlinal bulge, 366
Wetzig, B., copper deposits of Butte, Mont., 36
Wheeler oil field, Oklahoma, 723
Wherry, E. T., on graphite in Cambrian sandstone, 764
White, David, reviews by, 89, 91
White, I. C., on volcanic necks in oil fields, 378
White, W. P., on the latent heat of transformation, 683
White cloud of volcanic eruptions, composition, 12
Wichita Mountains, Oklahoma, 722
Williams, G. H., on the formation of sericite, 56
Winchell, A. N., *Brun's new data on volcanism*, 1–14; on cordierite-norite, 158; on Duluth gabbro, 154; on graphite deposits, Dillon, Montana, 435; on slate in Montana, 292; on the origin of graphite, 431
Winchell, A. N., and Winchell, H. V., *Notes on the Blue Bird mine*, 287–294
Winchell, H. V., on downward enrichment of copper deposits, 72
Winchell, H. V., and Winchell, A. N., *Notes on the Blue Bird mine*, 287–294
Winnfield saline dome, La., 368, 374
Winogradsky, on oxidation of hydrogen sulphide by bacteria, 742
Wisconsin, area of known iron formation, 663; lead and zinc ores, 508; variations in magnetic declination, 650
Wolframite, in tin deposits, 230
Wollastonite, 424, 460; assay, 492; fusing point, 5
Wollastonite zone, relative position, 491
Wright, F. E., on metamorphism by addition, 455; on the formation of sericite, 56; rocks examined by, 468–473
Wright, F. E., and Larsen, E. S., on changes in quartz, 682
Wurtzite, 71

Xenoblast, 528

Yunnan, tin deposits, 212 (table)

Zalinski, E. R., on turquoise in Burro Mountains, N. Mex., 382
Zapffe, Carl, *The effects of a basic igneous intrusion on a Lake Superior iron-bearing formation*, 145–178; *The geology of the St. Helens mining district of Washington*, 340–350
Zavrieff, on pressure of carbonic acid over calcium carbonate, 699
Zeehan field, Tasmania, ore deposits, 275; tin deposits, 253
Zinc, association with tin deposits, 232; Leadville, Colo., 318; recent literature on, 100, 305, 608, 712
Zinnwald district, Erzgebirge, tin deposits, 221
Zinnwald granite (tin deposits), section, 226
Zinnwald tin deposits, 225
Zircon, 292, 544; fusing point, 5; recent literature on, 611
Zirkel, F., on minerals in rhyolites, 218; on sericite, 56